


Double-Wrap GUY-GRIP®

General Recommendations

Double-Wrap GUY-GRIPS® are designed to terminate solid or stranded wire used for stays, catenaries/messengers etc. at pole top positions, when Stay Insulators are NOT used. Suitable for varying pole diameter and for double wrapping, the Double-Wrap GUY-GRIP® secures the strand at the top of the pole. A standard GUY-GRIP® of the correct size is used to terminate the Staywire at the Stayrod.



Production Characteristics

- Positive grip upon the strand that cannot be displaced by bending or vibration.
- Even distribution of pressure along a wide area, eliminating concentrated forces.
- Fast, simple and uniform application.
- Compatibility with the strand to which the fitting is applied.

Crossover Marks: Indicate starting point for application.

Pitch Length: One complete wrap.

Colour Code: Assists in identification of strand size.

Identification Label: Shows catalogue number and strand diameter range.

Cable Loop: Standard on all sizes

Application Note: ENSURE THE CORRECT SIZE FITTING IS USED.

INDEX

D - 80



Copyright 2010 Preformed Line Products • All rights reserved
Telephone: 033 397 5800 • Facsimile: 033 387 7094
Email: plppmb@preformedsa.co.za
Website: www.preformedsa.co.za

Double-Wrap GUY-GRIP®

Right Hand Lay Standard.

CATALOGUE NO.	STAYWIRES STRANDING	DIAMETER	COLOUR CODE
DWGG 284	3/3.55	7.21	Black
DWGG 312	7/2.65	7.92	Brown
DWGG 345	3/4.00	8.76	Yellow
DWGG 354	7/3.00	8.99	Orange
DWGG 384	7/3.25	9.75	Red
DWGG 396	7/3.35	10.05	Blue
DWGG 432	5/4.00	10.97	Brown
DWGG 480	7/4.00	12.19	Green
DWGG 520	19/2.65	13.20	Orange


INDEX

D - 81

Identification Guide for PLP® Double-Wrap Grips (Eskom Standard Sizes)

CATALOGUE NO.	STAYWIRE	POLE DIAMETER (mm)	COLOUR CODE	LENGTH OF FITTING mm - L	CABLED LOOP LENGTH - CL mm ± 50
DWG 432 - 150	5/4.00	150	Brown	1498	610
DWGG 432 - 250	5/4.00	250	Brown	1740	800
DWGG 480 - 200	7/4.00	200 to 220	Green **	1500	640
DWGG 480 - 250	7/4.00	250	Green	1900	800
DWGG 520 - 200	19/2.65	200	Orange	1560	800
DWGG 520 -250	19/2.65	250	Orange	1820	990

**This product has two crossover marks approximately 300 mm apart to accommodate Pole Diameter 200 mm and 220 mm



INDEX

D - 82



Copyright 2010 Preformed Line Products • All rights reserved
 Telephone: 033 397 5800 • Facsimile: 033 387 7094
 Email: plppmb@preformedsa.co.za
 Website: www.preformedsa.co.za